



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




NOTE:
REF. AGUSTA T/N 109-3400-79-1.

 RED BARN MACHINE	
TITLE TOOL ASSY, DRIVE QUILL SEAL INSTL.	
DWG NO. RBW109-3400-79-1	REV
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: MARPET APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW109, AW119
SCALE 1:2	DATE 6/13/2013
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PUNCH	6061	Ø1-5/8 X 3-1/4	2
			-3	1	GUIDE, PUNCH	6061	Ø1-7/8 X 1-3/4	3



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.



REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



①


PUNCH





 RED BARN MACHINE	
TITLE TOOL ASSY, DRIVE QUILL SEAL INSTL.	
DWG NO. RBW109-3400-79-1-1	REV
MAT'L 6061	DRAWN BY: MARPET
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED  HEAT TREAT FINISH CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW109, AW119
SCALE 1:2	DATE 6/13/2013 SHEET 2 OF 3

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-3)
GUIDE, PUNCH

 RED BARN MACHINE	
TITLE TOOL ASSY, DRIVE QUILL SEAL INSTL.	
DWG NO. RBW109-3400-79-1-3	REV
MAT'L 6061	DRAWN BY: MARPET
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED  HEAT TREAT CLEAR ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS I USED ON MODEL AW109, AW119
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 6/13/2013
SHEET 3 OF 3	